

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

1. (Currently Amended) A method for providing search results to a user, comprising:
 - receiving in a search engine a search query from a client device, the search query including one or more query terms;
 - generating in the search engine two or more search results in response to the search query, each of the search results including:
 - a corresponding search result document link to a top of a corresponding search result document; and
 - a corresponding active snippet link to a portion of the corresponding search result document, the corresponding active snippet link containing including a query-relevant snippet, the query-relevant snippet being text extracted from the portion of the corresponding search result document by the search engine, the corresponding active snippet link including an instruction that causes the client device to navigate directly to the portion of the corresponding search result document from which the query-relevant snippet is extracted when the corresponding active snippet link is selected by a user from the display of the query-relevant snippet of the search result on the client device; and
 - ~~generating in the search engine an instruction for each of the two or more search results that is configured to:~~
 - ~~cause the client device to display the query-relevant snippet of the search result on the client device; and~~
 - ~~navigate directly to the portion of the corresponding search result document when the corresponding active snippet link is selected by a user from the display of the query-relevant snippet of the search result on the client device; and~~
 - providing from the search engine ~~the instructions for~~ the two or more search results to the client device in response to the search query.

2 – 60. (Canceled)

61. (Currently Amended) The method of claim 1, wherein:
the instruction of the corresponding active snippet link includes an artificial anchor referencing the portion of the corresponding search result document containing the query-relevant snippet, and

the corresponding search result document link does not include an artificial anchor referencing any particular portion of the corresponding search result document.

62. (Previously Presented) The method of claim 1, wherein at least one of the search results further comprises a second corresponding active snippet link to a separate portion of the corresponding search result document containing a second query-relevant snippet.

63. (Previously Presented) The method of claim 1, wherein:
the query-relevant snippet further comprises one or more of the query terms, and
the instruction is configured to navigate directly to the portion of the corresponding search result document when the one or more query terms are selected by the user from the display of the query-relevant snippet.

64. (Previously Presented) The method of claim 1, wherein each instruction includes an intra-document link for the query-relevant snippet, each intra-document link pointing to the portion of the query-relevant snippet within the corresponding search result document.

65. (Currently Amended) The method of claim 64, wherein each intra-document link ~~contains~~ includes an artificial anchor undefined in the corresponding search result document.

66. (Previously Presented) The method of claim 65, wherein each artificial anchor includes a preassigned artificial anchor designator designating the anchor as artificial.

67. (Previously Presented) The method of claim 66, wherein each artificial anchor includes the preassigned artificial anchor designator as one of a prefix and a suffix and wherein the preassigned artificial anchor designator includes a preassigned set of text characters.

68. (Previously Presented) The method of claim 64, further comprising:
determining whether each corresponding search result document link references an anchor defined in each corresponding search result document; and
stripping the reference to the anchor from the corresponding search result document link if the corresponding search result document link references the anchor.

69. (Currently Amended) The method of claim 1, wherein the providing the ~~instructions for the two or more search results to the client device in response to the query~~ includes providing a search result page, and wherein the instructions are at least one of a hidden tag and an attribute on a tag in the search result page.

70. (Currently Amended) The method of claim 1, wherein:
each of the search results generated by the search engine comprises a plurality of active snippet links, each including a query-relevant snippets extracted from the corresponding search result document by the search engine, and each including an instruction that causes the client device to navigate directly to the portion of the corresponding search result document from which the query-relevant snippet is extracted when the corresponding active snippet link is selected by a user from the display of the query-relevant snippet of the search result on the client device. ~~each of the plurality of query-relevant snippets being associated with a corresponding active snippet link;~~ and

~~the instruction for each of the two or more search results is configured to cause the client device to display each of the plurality of query-relevant snippets on the client device and to navigate directly to a portion of a respective one of the plurality of query-relevant snippets within the corresponding search result document when the respective active snippet link is selected by a user from a display of the corresponding search result on the client device.~~

71. (Currently Amended) A system comprising:

one or more computers; and

a computer-readable medium coupled to the one or more computers having instructions stored thereon which, when executed by the one or more computers, cause the one or more computers to perform operations comprising:

receiving in a search engine a search query from a client device, the search query including one or more query terms;

generating in the search engine two or more search results in response to the search query, each of the search results including:

a corresponding search result document link to a top of a corresponding search result document, and

a corresponding active snippet link to a portion of the corresponding search result document, the corresponding active snippet link including containing a query-relevant snippet, the query-relevant snippet being text extracted from the portion of the corresponding search result document by the search engine, the corresponding active snippet link including an instruction that causes the client device to navigate directly to the portion of the corresponding search result document from which the query-relevant snippet is extracted when the corresponding active snippet link is selected by a user from the display of the query-relevant snippet of the search result on the client device; and

~~generating in the search engine an instruction for each of the two or more search results that is configured to:~~

~~cause the client device to display the query-relevant snippet of the search result on the client device; and~~

~~navigate directly to the portion of the corresponding search result document when the corresponding active snippet link is selected by a user from the display of the query-relevant snippet of the search result on the client device; and~~

providing from the search engine the instructions for the two or more search results to the client device in response to the search query.

72. (Currently Amended) The system of claim 71, wherein:

the instruction of the corresponding active snippet link includes an artificial anchor referencing the portion of the corresponding search result document containing the query-relevant snippet, and

the corresponding search result document link does not include an artificial anchor referencing any particular portion of the corresponding search result document.

73. (Previously Presented) The system of claim 71, wherein at least one of the search results further comprises a second corresponding active snippet link to a separate portion of the corresponding search result document containing the query-relevant snippet.

74. (Previously Presented) The system of claim 71, wherein:
the query-relevant snippet further comprises one or more of the query terms, and
the instruction is configured to navigate directly to the portion of the corresponding search result document when the one or more query terms are selected by the user from the display of the query-relevant snippet.

75. (Previously Presented) The system of claim 71, wherein each instruction includes an intra-document link for the query-relevant snippet, each intra-document link pointing to the portion of the query-relevant snippet within the corresponding search result document.

76. (Currently Amended) The system of claim 75, wherein each intra-document link ~~contains~~ includes an artificial anchor undefined in the corresponding search result document.

77. (Previously Presented) The system of claim 76, wherein each artificial anchor includes a preassigned artificial anchor designator designating the anchor as artificial.

78. (Previously Presented) The system of claim 77, wherein each artificial anchor includes the preassigned artificial anchor designator as one of a prefix and a suffix and wherein the preassigned artificial anchor designator includes a preassigned set of text characters.

79. (Previously Presented) The system of claim 75, wherein the operations further comprise:

determining whether each corresponding search result document link references an anchor defined in each corresponding search result document; and

stripping the reference to the anchor from the corresponding search result document link if the corresponding search result document link references the anchor.

80. (Currently Amended) The system of claim 71, wherein the providing the ~~instructions~~ for the two or more search results to the client device in response to the query includes providing a search result page, and wherein the instructions are at least one of a hidden tag and an attribute on a tag in the search result page.

81. (Currently Amended) The system of claim 71, wherein:
each of the search results generated by the search engine comprises a plurality of active snippet links, each including a query-relevant snippets extracted from the corresponding search result document by the search engine, and each including an instruction that causes the client device to navigate directly to the portion of the corresponding search result document from which the query-relevant snippet is extracted when the corresponding active snippet link is selected by a user from the display of the query-relevant snippet of the search result on the client device. each of the plurality of query-relevant snippets being associated with a corresponding active snippet link; and

~~the instruction for each of the two or more search results is configured to cause the client device to display each of the plurality of query-relevant snippets on the client device and to navigate directly to a portion of a respective one of the plurality of query-relevant snippets within the corresponding search result document when the respective active snippet link is selected by a user from a display of the corresponding search result on the client device.~~

82. (Currently Amended) A computer storage medium encoded with a computer program, the program comprising instructions that when executed by data processing apparatus cause the data processing apparatus to perform operations comprising:

receiving in a search engine a search query from a client device, the search query including one or more query terms;

generating in the search engine two or more search results in response to the search query, each of the search results including:

a corresponding search result document link to a top of a corresponding search result document, and

a corresponding active snippet link to a portion of the corresponding search result document, the corresponding active snippet link containing including a query-relevant snippet, the query-relevant snippet being text extracted from the portion of the corresponding search result document by the search engine, the corresponding active snippet link including an instruction that causes the client device to navigate directly to the portion of the corresponding search result document from which the query-relevant snippet is extracted when the corresponding active snippet link is selected by a user from the display of the query-relevant snippet of the search result on the client device; and

~~generating in the search engine an instruction for each of the two or more search results that is configured to:~~

~~_____ cause the client device to display the query relevant snippet of the search result on the client device; and~~

~~_____ navigate directly to the portion of the corresponding search result document when the corresponding active snippet link is selected by a user from the display of the query relevant snippet of the search result on the client device; and~~

providing from the search engine the ~~instructions for the~~ two or more search results to the client device in response to the search query.

83. (Currently Amended) The computer storage medium of claim 82, wherein:
the instruction of the corresponding active snippet link includes an artificial anchor referencing the portion of the corresponding search result document containing the query-relevant snippet, and

the corresponding search result document link does not include an artificial anchor referencing any particular portion of the corresponding search result document.

84. (Previously Presented) The computer storage medium of claim 82, wherein at least one of the search results further comprises a second corresponding active snippet link to a separate portion of the corresponding search result document containing the query-relevant snippet.

85. (Previously Presented) The computer storage medium of claim 82, wherein:
the query-relevant snippet further comprises one or more of the query terms, and
the instruction is configured to navigate directly to the portion of the corresponding search result document when the one or more query terms are selected by the user from the display of the query-relevant snippet.

86. (Previously Presented) The computer storage medium of claim 82, wherein each instruction includes an intra-document link for the query-relevant snippet, each intra-document link pointing to the portion of the query-relevant snippet within the corresponding search result document.

87. (Currently Amended) The computer storage medium of claim 86, wherein each intra-document link ~~contains~~ includes an artificial anchor undefined in the corresponding search result document.

88. (Previously Presented) The computer storage medium of claim 87, wherein each artificial anchor includes a preassigned artificial anchor designator designating the anchor as artificial.

89. (Previously Presented) The computer storage medium of claim 88, wherein each artificial anchor includes the preassigned artificial anchor designator as one of a prefix and a suffix and wherein the preassigned artificial anchor designator includes a preassigned set of text characters.

90. (Previously Presented) The computer storage medium of claim 86, further comprising:

determining whether each corresponding search result document link references an anchor defined in each corresponding search result document; and

stripping the reference to the anchor from the corresponding search result document link if the corresponding search result document link references the anchor.

91. (Currently Amended) The computer storage medium of claim 82, wherein the providing the ~~instructions for the~~ two or more search results to the client device in response to the query includes providing a search result page, and wherein the instructions are at least one of a hidden tag and an attribute on a tag in the search result page.

92. (Currently Amended) The computer storage medium of claim 82, wherein:
each of the search results generated by the search engine comprises a plurality of active snippet links, each including a query-relevant snippets extracted from the corresponding search result document by the search engine, and each including an instruction that causes the client device to navigate directly to the portion of the corresponding search result document from which the query-relevant snippet is extracted when the corresponding active snippet link is selected by a user from the display of the query-relevant snippet of the search result on the client device. ~~each of the plurality of query-relevant snippets being associated with a corresponding active snippet link; and~~

~~the instruction for each of the two or more search results is configured to cause the client device to display each of the plurality of query-relevant snippets on the client device and to navigate directly to a portion of a respective one of the plurality of query-relevant snippets within the corresponding search result document when the respective active snippet link is selected by a user from a display of the corresponding search result on the client device.~~

93. (Currently Amended) A method for providing search results to a user, comprising:
receiving in a search engine a search query from a client device, the search query including one or more query terms;

generating in the search engine two or more search results in response to the search query, each of the search results including:

a hyperlink to a corresponding search result document, wherein the selection of the hyperlink when the search result is displayed on the client device causes the client device to navigate to the top of the corresponding search result document;

a corresponding active snippet link to a portion of the corresponding search result document, the active snippet link containing a query-relevant snippet, the query-relevant snippet being text extracted from the portion of the corresponding search result document by the search engine, the active snippet link being the hyperlink and an artificial anchor appended to the hyperlink ~~and~~ that references the portion for the search result document, the artificial anchor being undefined in the search result document, and wherein the selection of the active snippet link when the search result is displayed on a client device causes the client device to navigate directly to the portion of the corresponding search result document; and

providing from the search engine the search results to the client device in response to the search query.

94. (Previously Presented) The method of claim 93, wherein each artificial anchor includes a preassigned artificial anchor designator designating the anchor as artificial.

95. (Previously Presented) The method of claim 94, wherein each artificial anchor includes the preassigned artificial anchor designator as one of a prefix and a suffix and wherein the preassigned artificial anchor designator includes a preassigned set of text characters.

96. (Canceled)